

Design with Passion







#### **Curtain Track System 4100**

Conforming to HTM66, 4100 series offers a comprehensive range of accessories to suit all fixing possibilities. Elegant in design and function 4100 is suitable for use with up-lighters for improved ambient hospital ward lighting. Synthetic wall and ceiling fitting allow the track to comply with the European NEN-3134 standard for special care rooms requiring anti-static facility.

Standard Colours: White RAL 9010, Natural.

#### **Specification**

This system can also be mounted with anti-ligature load release components, to provide a controlled system collapse.


NEN-3134: Isolated fixing in S3 (anti-static) rooms. Ceiling fixing with suspension hung (using synthetic ceiling stud), wall fixing with plexiglass wall bracket and synthetic wall support. An earth cable needs to be connected.

Light	Medium	Heavy (curtains)
240*)	180*)	120 cm


<sup>\*)</sup> Please take into account the the lateral deflection within the rail. This effect can be reduced by using a V-hanger or strut-hanger with fixing plate.

#### **Bending**

Minimum radius 20 cm




Parallel rail fixing with bridging plate






# **Specification**




This picure shows when a 'strut-hanger' or V-hanger is used and when a vertical suspension hanger is sufficient.

# **Bracket fixing guide**






# **Installation (Continuation)**






# **Installation (Continuation)**



www.eurosystems.com



# **PETTERN: ACER**



# Colors







**BROADLEAF** 



**CLEARING** 



### **PETTERN: AFFINITY**



# Colors







**BUFF MULTI** 

**PEARL GREY** 


**SPA BLUE** 

**Description:** 102" wide dual sided printed including 21" of integral mesh.

Maximum Railroaded Seamless Curtain Height: 98" including integral mesh.



### **PETTERN: CROSSHATCH**



### Colors







**TAUPE** 

COPPER COOL GREY



### **PETTERN: CRYSTAL**



# Colors







**CHRYSOLITE** 



**PADPARA** 



### **PETTERN: ELEMENTS**



# Colors



MULTI

**Description**: 102" wide dual sided printed including 21" of integral mesh. Maximum Railroaded Seamless Curtain Height: 98" including integral mesh.

www.eurosystems.com



### **PETTERN: GRASSFIELDS**



# Colors







Page: **11** 

**AUTUMN SPRING SUMMER** 



### **PETTERN: HENRI**



# Colors







**PROMENADE** 

CHAUSÉE

MANTEAU



### **PETTERN: MAIOLICA**



### Colors







TOPSAIL MARBLE DAWN



# **PETTERN: MAYCROFT**



# Colors







**STONE** MOSS **DAWN** 

**Description**: 102" wide dual sided printed including 21" of integral mesh. Maximum Railroaded Seamless Curtain Height: 98" including integral mesh.

www.eurosystems.com



### **PETTERN: PLAID**



### Colors







CASCADE **PATIENCE THRESHOLD** 

**Description**: 102" wide dual sided printed including 21" of integral mesh. Maximum Railroaded Seamless Curtain Height: 98" including integral mesh.

www.eurosystems.com



### **PETTERN: SOPHIA STRIPE**



### Colors





**THRESHOLD** 



**PATIENCE** 



### **PETTERN: STRATA**



### Colors








CASCADE **THRESHOLD PATIENCE** 




# **PETTERN: TYBEE**



### Colors










### **PETTERN: UNDER THE SEA**



#### **Colors**



**UNDER THE SEA** 



# **PETTERN: WAVE**



# Colors







**SPLASH** 



# **INTEGRAL MESH**






Clean Khaki














Soft Aloe





Greyscale





Content:

100% FR Polyester

Width:

27.2 ounces per linear yard

#### Flammability:

NFPA 701: Passes

NFPA 13: Passes (spinkler code opening exceed 70% requirement)

#### Laundry:

Machine Wash to 160°F/71° C Tumble at 140°F/60°C

Fabric will not shrink, Pill or fade when cleaned as directed

#### PRINTED KAYLOR KUBE

#### Width:

Overall: 102"/259cm

Header: 1" Triple fold (4"/10cm unfolded)

Integral Mesh: 20"/51cm

Body: 78"/198cm

Up to 98"/248cm length including integral mesh

Typical Curtain Length: 12"/30cm AFF

(above finished floor)

Recommended Fullness: 15%

#### **Dimensions**

Header: 1" Triple fold (4"/10cm Unfolded) Hems: 1"/3cm triple fold with loc-stitch Grommet: # 1 nickel-plated brass on center

every 6"/15cm

#### Design

Integral mesh prints Integral mesh solid colors

#### UNPRINTED/PIECE DYED KAYLOR KUBE

#### Width:

Overall: 104"-106"/264CM-269cm

Header: 1" Triple fold (4"/10cm unfolded)

Integral Mesh: 22"/56cm

Body: 78"/198cm

Up to 100"/249cm length including integral mesh

Typical Curtain Length: 12"/30cm AFF

(above finished floor)

Recommended Fullness: 15%

#### **Dimensions**

Header: 1" Triple fold /4" Unfolded)
Hems: 1"/3cm triple fold with loc-stitch
Grommet: # 1 nickel-plated brass on center

every 6"/15cm

m